



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 09/997,604 | 11/29/2001 | Hiroshi Nemoto | 791_065 | 5235 |

25191 7590 10/05/2004

BURR & BROWN
PO BOX 7068
SYRACUSE, NY 13261-7068

EXAMINER

TSANG FOSTER, SUSY N

| ART UNIT | PAPER NUMBER |
|----------|--------------|
|----------|--------------|

1745

DATE MAILED: 10/05/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/997,604

Applicant(s)

NEMOTO ET AL.

Examiner

Susy N Tsang-Foster

Art Unit

1745

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 May 2004 and 20 May 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 11-24 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 11-24 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____

DETAILED ACTION

Response to Amendment

1. This Office Action is responsive to the amendments filed on 5/21/2004 and on 5/20/2004. These amendments were crossed in the mail and the Examiner did not receive these amendments until after the previous final office action was mailed out. Claims 11-24 are pending and are rejected for reasons given below. This Office Action is made non-final in view of newly added claim 24 and the new grounds of rejection given below that are not necessitated by applicant's amendment.

Claim Interpretation

2. The term "Li/Mn ratio" as used in the instant claims is interpreted by the Examiner to mean the molar ratio of Li to Mn in light of the specification.

Claim Rejections - 35 USC § 112

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
4. Claims 12 and 19 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant

Art Unit: 1745

art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

In claims 12 and 19, the limitation "wherein said primary particles consist essentially of particles having at least one side of each flat crystal face of length of 1 μm or more" is not in the original disclosure.

The specification states (see page 4 of substitute specification) that the primary particles of the positive electrode active material preferably contain those primary particles in which at least one side of each flat crystal face has a length of 1 μm or more and does not state that all primary particles of the positive electrode active material have at least one side of each flat crystal face of length of 1 μm or more. The Examiner interprets the term "contain" to be synonymous with the term "comprising". Furthermore, it would be impossible to produce a positive electrode active material consisting essentially of primary particles in which at least one side of each flat crystal face of the particle has a length of 1 micron or more since not all primary particles are substantially octahedral in shape constituted mainly by flat crystal faces since some particles formed may be round and not have a flat crystal face.

The specification also states (see page 6 of substitute specification) that the positive electrode active material is characterized by consisting of primary particles mostly having the substantially octahedral shape and that all primary particles need not have a substantially octahedral shape since the particle diameters of the raw materials, the impurities in the raw materials, and the temperature distribution of the furnace during synthesis affect the growth of the crystal face and the growth of the crystal face may not take place uniformly.

Art Unit: 1745

Finally, the specification (see page 6 of substitute specification) also states that the particle diameters of the primary particles are obtained by analysis of the SEM image and the particle diameter measurement for individual particles are impossible. The specification also states (see page 7 of the substitute specification) that the amount of primary or secondary particles having particle diameters outside the specified ranges are at such a level not ordinarily detected in the methods of measurement for particle diameters mentioned in the specification. Hence, there is no experimental method of determining if all the primary particles are substantially octahedral in shape and even if there were all substantially octahedral, it is impossible to determine if all the primary particles have at least side of each flat crystal face of a length of 1 micron or more since some primary particle sizes are not detectable as stated in the specification.

5. Claims 11-24 are rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling forming a positive electrode comprising $\text{Li}(\text{Ni}_{0.5}\text{Ti}_{0.5})_{0.15}\text{Mn}_{1.85}\text{O}_4$ as the positive electrode active material using Li_2CO_3 , MnO_2 , TiO_2 , and NiO as the raw starting materials, the positive electrode active material having a cubic spinel structure having primary particles of substantially octahedral shape constituted mainly by flat crystal faces wherein the primary particles include particles having at least one side of each flat crystal face of 1 micron or more, does not reasonably provide enablement for forming all positive electrode material comprising mainly Li and Mn that are formed from a raw material mixture comprising Li and Mn, the positive electrode material having a cubic spinel structure and primary particles of substantially octahedral shape constituted mainly by flat crystal faces wherein the primary

Art Unit: 1745

particles include particles having at least one side of each flat crystal face of 1 micron or more.

The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make the invention commensurate in scope with these claims.

The claimed invention encompasses compounds that are outside the scope of the one working example and disclosure. Not only are the claims broad, it appears that the amount of direction, the number of working examples, and the breadth of claims are not commensurate in scope with the disclosure as originally filed. Hence undue experimentation would be required to determine what other compounds other than those disclosed by applicant can be used to make and practice applicant's invention as claimed.

With respect to enablement commensurate in scope with the claims, section 2164.08 of the MPEP states:

"The Federal Circuit has repeatedly held that 'the specification must teach those skilled in the art how to make and use the full scope of the claimed invention without undue experimentation'. In re Wright, 999 F.2d 1557, 1561, 27 USPQ2d 1510, 1513 (Fed. Cir. 1993)... The determination of the propriety of a rejection based upon the scope of a claim relative to the scope of the enablement involves two stages of inquiry. The first is to determine how broad the claim is with respect to the disclosure. The entire claim must be considered. The second inquiry is to determine if one skilled in the art is enabled to make and use the entire scope of the claimed invention without undue experimentation."

Factors to be considered when determining whether the claimed invention would require undue experimentation are given in MPEP 2164.01 (a). In re Wands, 858 F. 2d 731, 737; 8

USPQ 2d 1400, 1404 (Fed. Cir. 1988). Only the relevant factors will be addressed for determining undue experimentation of the presently claimed invention. The relevant factors are (A) the breadth of the claims; (B) the amount of direction provided by the inventor; (C) the existence of working examples, (D) the level of predictability in the art; and (E) the quantity of experimentation needed to make or used the invention based on the content of the disclosure.

Factor (A) Breadth of the claims:

No guidance is given in the specification for the innumerable possible embodiments encompassed by the claims of a positive electrode active material composed mainly of Li and Mn which has a cubic spinel structure and having primary particles having substantially octahedral shape constituted mainly by flat crystal faces where at least one side of each flat crystal face of length of 1 micron or more. The positive active material as recited in the claims encompasses compounds that are not lithium manganese oxide compounds disclosed in the instant specification. The specification is directed only to lithium manganese oxide positive electrode active materials and does not disclose how to make positive electrode active materials that are not lithium manganese oxide and composed mainly of Li and Mn with the properties recited in the claims.

Factor (B) The amount of direction provided by the inventor.

Applicant gives general guidance of the production of the positive electrode active material by firing a raw material mixture consisting of given proportions of salt and/or oxides of various elements, including Li, Mn, and as necessary substitution/addition elements, in an

Art Unit: 1745

oxidizing atmosphere at 700 to 900 °C for 5 to 50 hours on page 7 of the substitute specification.

Applicant also states on page 11 of the substitute specification that the morphology of the primary particles of positive electrode active material can be varied by varying the composition of the positive electrode active material even though the same synthesis conditions are employed.

Applicant also only provides 1 working example and 2 comparative examples. The one working example is given on pages 9-10 of the substitute specification where commercial powders of

Li_2CO_3 , MnO_2 , TiO_2 , NiO are mixed and then firing the resulting mixture in an oxidizing

atmosphere at 800 °C for 24 hours to give primary particles having substantially octahedral

shape. Comparative example 1 of the present specification is drawn to commercially available

LiMn_2O_4 having primary particles of 0.2 microns in size and comparative example 2 of the

present specification is drawn to a positive electrode active material obtained by mixing Li_2CO_3 ,

MnO_2 , and B_2O_3 to give a molar ratio of $\text{Li}:\text{Mn}:\text{B} = 1:2:0.03$ and then firing the resulting mixture

in an oxidizing atmosphere at 800 °C for 24 hours to give a deformed and overall roundish

octahedral shape where the flat crystal face of octahedron remained partially but the edges or

apexes had a curved surface (see page 9 of substitute specification).

Hence, the general teaching and the examples in the specification do not give guidance on how to make positive electrode active materials having substantially octahedral shaped particles having the recited claimed dimensions that are not lithium manganese oxide, or specifically, $\text{Li}(\text{Ni}_{0.5}\text{Ti}_{0.5})_{0.15}\text{Mn}_{1.85}\text{O}_4$.

Factor (C) The existence of working examples:

As stated above, applicant's disclosure of 1 working example does not entitle applicant to claim all positive electrode active material containing Li and Mn having primary particles of substantially octahedral shape with the claimed dimensions.

MPEP 2164.03 states "[h]owever, in applications directed to inventions in arts where the results are unpredictable, the disclosure of a single species usually does not provide an adequate basis to support generic claims."

Factor (D) The level of predictability in the art:

Applicant states on page 11 of the substitute specification that the morphology of the primary particles of positive electrode active material can be varied by varying the composition of the positive electrode active material even though the same synthesis conditions are employed which can be demonstrated by comparing working example 1 with comparative example 2. Thus, there is a level of unpredictability in the art with respect to obtaining the claimed morphology of the primary particles of the positive electrode active material.

With respect to the relationship of predictability of the art and the enablement requirement, MPEP 2164.03 states:

"The amount of guidance or direction needed to enable the invention is inversely related to the amount of knowledge in the state of the art as well as the predictability in the art. In re Fisher, 427 F.2d 833, 839, 166 USPQ 18, 24 (CCPA 1970). The "amount of guidance or direction" refers to that information in the application, as originally filed, that teaches exactly how to make or use the invention. The more that is known in the prior art about

Art Unit: 1745

the nature of the invention, how to make, and how to use the invention, and the more predictable the art is, the less information needs to be explicitly stated in the specification. In contrast, if little is known in the prior art about the nature of the invention and the art is unpredictable, the specification would need more detail as to how to make and use the invention in order to be enabling. >See, e.g., *Chiron Corp. v. Genentech Inc.*, 363 F.3d 1247, 1254, 70 USPQ2d 1321, 1326 (Fed. Cir. 2004)... The “predictability or lack thereof” in the art refers to the ability of one skilled in the art to extrapolate the disclosed or known results to the claimed invention. If one skilled in the art can readily anticipate the effect of a change within the subject matter to which the claimed invention pertains, then there is predictability in the art. On the other hand, if one skilled in the art cannot readily anticipate the effect of a change within the subject matter to which that claimed invention pertains, then there is lack of predictability in the art. Accordingly, what is known in the art provides evidence as to the question of predictability... However, in applications directed to inventions in arts where the results are unpredictable, the disclosure of a single species usually does not provide an adequate basis to support generic claims. In *re Soll*, 97 F.2d 623, 624, 38 USPQ 189, 191 (CCPA 1938). In cases involving unpredictable factors, such as most chemical reactions and physiological activity, more may be required. In *re Fisher*, 427 F.2d 833, 839, 166 USPQ 18, 24 (CCPA 1970)[emphasis added].”

Factor (E) the quantity of experimentation needed to make or used the invention based on the content of the disclosure.

This factor has been addressed by factors (A)-(C) above.

Thus, the claims are properly rejected for scope of enablement since the two stages of inquiry as set forth in MPEP section 2164.08 have been fully addressed herein by the Examiner.

Art Unit: 1745

6. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

7. Claims 11-16, and 24 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 13, the limitation “the positive electrode active material which is composed mainly of Li and Mn” is indefinite because it is unclear what the relative term “mainly” means. How is this relative term measured, for example, in weight, volume, etc?

Page 5 of the substitute specification provides for the definition of the term “mainly of Li and Mn” only in the context of lithium manganese oxide. The substitute specification on page 5 states that “lithium manganese oxide composed mainly of Li and Mn” means part of the Mn may be replaced by other element(s) selected from substitution elements given in the specification or other additives. It is unclear what this limitation means for positive electrode active materials that are not lithium manganese oxide that are encompassed by instant claim 13.

Claims depending from claims rejected under 35 USC 112, second paragraph are also rejected for the same

Claim Rejections - 35 USC § 102

8. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

Art Unit: 1745

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(c) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claim Rejections - 35 USC § 103

9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

10. Claims 11-14, 17-21, and 24 are rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over the JPO machine translation of JP 08-217452 A.

The JPO Machine translation of JP 08-217452 A discloses a method of manufacturing a lithium battery comprising the steps forming an electrode body by placing a positive electrode and a negative electrode in contact with a separator, the separator being positioned between the positive and the negative electrode so that the positive electrode is not in contact with the negative electrode (see Figure 1 and paragraph 81 of machine translation).

The JPO Machine translation of the reference also discloses that the positive electrode comprises a positive electrode active material which is composed mainly of Li and Mn where the

Li/Mn ratio is larger than 0.5 and positive electrode active material has a cubic spinel structure (see paragraph 34 of machine translation) and primary particles mostly have a substantially octahedral shape constituted mainly by flat crystal faces (see Figure 4 and paragraphs 76 and 107) where the length of one side of the octahedron is 1 micron or more. The positive electrode contains acetylene black as an electric conduction agent (see paragraph 108 of machine translation).

The primary particle size of the positive electrode active material can also be from 1 to 10 microns (see paragraph 56 of machine translation). Furthermore, since the positive electrode active material has the same particle shape, composition, and primary particle size as those disclose in the specification and being claimed in the instant claims, the primary particles inherently include particles having at least one side of each flat crystal face of length of 1 micron or more. The electrostatics and size of the primary particles inherently determine the size of the secondary particles and since the primary particle size range of 1 to 10 microns of JP 08-217452 A (see above) falls within the claimed range, the primary particles of JP inherently form secondary particles having a maximum particle diameter of 50 microns or less.

The positive electrode active material is formed of a raw material mixture comprising positive electrode precursor material comprising Li and Mn and heating the raw material mixture to a temperature and for a time which is effective to convert the raw material mixture into a positive electrode active material having the cubic spinel structure and primary particles having substantially octahedral shape (see paragraph 75 of machine translation).

The court has held that claiming of a property or characteristic which is inherently present in the prior art does not necessarily make the claim patentable. *In re Best*, 562 F.2d 1252, 1254, 195 USPQ 430, 433 (CCPA 1977). See also MPEP 2112 and 2112.01. When the Examiner has provided a sound basis for believing that the products of the applicant and the prior art are the same, the burden of proof is shifted to the applicant to prove that the product shown in the prior art does not possess the characteristics of the claimed product. *In re Spada*, 911 F.2d 705, 709, 15 USPQ2d 1655, 1658 (Fed. Cir. 1990).

11. Claims 15, 16, 22, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over the JPO machine translation of JP 08-217452 A in view of Zhong et al. (US Pat. No. 5,700,597, hereinafter '597).

JPO machine translation of JP 08-217452 A discloses all the limitations of claims 15, 16, 22 and 23 except that the lithium secondary battery has a capacity of 2 Ah or more and that the lithium secondary battery is used in an electric vehicle.

Zhong et al. '597 teach a lithium battery as a high energy density source for an electric vehicle (col. 1, lines 20-25).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the lithium secondary battery in the electric vehicle because a lithium secondary battery has high energy density, is light weight, and would not cause exhaust air polluting substances during the operation of the electric vehicle.

It would have also been obvious to one of ordinary skill in the art at the time the invention was made to produce a lithium secondary battery having a capacity of 2Ah or more in order to operate a high energy consuming electronic device such as an electric vehicle since the

Art Unit: 1745

power requirements of electronic devices differ and it would have been obvious to manufacture lithium batteries with varying capacities for different applications. A person of ordinary skill in the art would be motivated to and would be knowledgeable about how to scale up the amount of active material necessary in a lithium secondary battery in order to provide enough electricity to operate an electric vehicle or any other electronic device.

12. Claims 11-14 and 17-21 are rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Zhong et al. (US Pat. No. 5,631,104).

Applicants' claims are directed to a method of manufacturing a lithium secondary battery comprising a positive electrode active material which is composed mainly of Li and Mn and has a cubic spinel structure and the primary particles of the positive electrode active material has a substantially octahedral shape constituted mainly by flat crystal faces.

Applicants disclose in the specification that the definition of "mainly composed of Li and Mn" means that part of the Mn in the lithium manganese oxide LiMn_2O_4 may be replaced by other elements such as an element selected from the group consisting of Li, Fe, Mn, Ni, Mg, Zn, B, Al, Co, Cr, Si, Ti, Sn, P, V, Sb, Nb, Ta, Mo, and W or that the lithium manganese oxide may contain B, Mo or W as an additive (see page 6, lines 18-25 to page 7, lines 5-10 of the specification). The applicants also prefer lithium manganese oxide to have a Li/Mn molar ratio of greater than 0.5 and examples include $\text{Li}(\text{Li}_x\text{Mn}_{2-x})\text{O}_4$ where Mn is partly replaced by Li, and $\text{LiM}_x\text{Mn}_{2-x}\text{O}_4$ wherein Mn is partially replaced by M that is a substitution element other than Li (see page 7, lines 11-23 of the specification). Applicants also disclose on page 11, lines 5-10 that

production of the positive electrode active material of the present invention is conducted by firing a raw mixture consisting of given proportions of salts and/or oxides of various element including Li, Mn, and as necessary, a substitution element and addition elements in an oxidizing atmosphere at 700 to 900 °C for 5 to 50 hours.

Zhong et al. disclose a lithium secondary battery comprising a positive electrode active material with the formula $\text{LiNi}_z\text{Mn}_{2-z}\text{O}_4$ where z can be 0.05, 0.1, 0.2, 0.3, and 0.5 (col. 8, lines 11-25) and Ni is the substitution element. The battery comprises an electrode group formed by placing a positive electrode and a negative electrode in contact with the separator, the separator being positioned between the positive electrode and the negative electrode so that the positive electrode is not in contact with the negative electrode (col. 6, lines 22-27 and Figure 1). The positive electrode also contains carbon black as a conductive agent (col. 7, lines 45-50).

The positive electrode active material was synthesized with LiMnO_2 , NiNO_3 , and LiOH powders in appropriate amounts and heat treated at 750 °C in air for 4 hours and then the product was ground and mixed again followed by a second similar heat treatment for an additional 12 hours for z less than or equal to 0.3 (col. 8, lines 10-25). For the sample with z equal to 0.5, the first heat treatment lasted 16 hours and the second heat treatment was performed at 850 °C for 12 hours. Zhong et al. also disclose in general that the heating can be performed between about 750 and 900 °C and more than one mixing and heating step may be desirable (col. 4, lines 7-17).

Zhong et al. also disclose $\text{LiCr}_{0.5}\text{Mn}_{1.5}\text{O}_4$ as the positive electrode active material synthesized using an appropriate mixture of EMD, Cr_2O_3 , and LiOH powders wherein the

Art Unit: 1745

mixture was heat treated in air at 800 °C for 4 hours, ground, remixed, and heat treated again at 900 °C for 11 hours (applies to claim 10, col. 9, lines 32-37).

Zhong et al. also disclose $\text{Li}_{x+y}\text{M}_z\text{Mn}_{2-y-z}\text{O}_4$ as the positive electrode active material where the crystal structure is spinel and M is a transition metal, $0 \leq x < 1$, $0 \leq y < 0.33$, and $0 < z < 1$ (see abstract). The positive electrode active material is prepared by mixing reactant powders comprising electrolytic manganese dioxide, a transition metal source, and a lithium source in a stoichiometric manner followed by heating the mixture in an oxygen containing atmosphere from 750-900 °C (col. 4, lines 4-17).

Since Zhong et al. disclose identical synthesis conditions and formulas for the positive electrode active material in the lithium battery as discussed above [Zhong et al.'s formula (see abstract) encompasses the formulas $\text{LiM}_x\text{Mn}_{2-x}\text{O}_4$ and $\text{Li}(\text{LiMn}_{2-x})\text{O}_4$] as those of the applicants, the properties cited in the instant claims 11-14 and 17-21 are inherent in the positive electrode active material of Zhong et al.

The court has held that claiming of a property or characteristic which is inherently present in the prior art does not necessarily make the claim patentable. *In re Best*, 562 F.2d 1252, 1254, 195 USPQ 430, 433 (CCPA 1977). See also MPEP 2112 and 2112.01. When the Examiner has provided a sound basis for believing that the products of the applicant and the prior art are the same, the burden of proof is shifted to the applicant to prove that the product shown in the prior art does not possess the characteristics of the claimed product. *In re Spada*, 911 F.2d 705, 709, 15 USPQ2d 1655, 1658 (Fed. Cir. 1990).

13. Claims 11-14 and 17-21 are rejected under 35 U.S.C. 102(e) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Manev et al. (US Pat. No. 5,961,949).

Art Unit: 1745

Manev et al. disclose a lithium secondary battery comprising a positive electrode active material with the formula $\text{Li}_{1.025} \text{Mn}_{1.975} \text{O}_4$ having spinel structure and a mean particle size distribution of 2 microns (see col. 6, lines 5-10). The positive electrode active material was synthesized by heating 500g of ground MnO_2 and LiOH (raw material comprising Li and Mn) at a molar ratio of $2\text{Li}:\text{Mn}=1.05$ and the mixture was fired at 750°C for 48 hours (col. 6, lines 1-5). Manev et al. also disclose that the mixture is generally fired in the presence of a gas flow such as air or a gas mixture containing from 5 to 100 percent oxygen by volume, which is an oxidizing atmosphere (col. 4, lines 45-48). A lithium secondary battery also inherently comprises an electrode body formed by placing a positive electrode and a negative electrode in contact with the separator, the separator inherently being positioned between the positive electrode and the negative electrode so that the positive electrode is not in contact with the negative electrode so that a short-circuit does not occur and enable the battery to function. Manev et al. also disclose that the positive electrode contains a conductive agent such as carbon black (col. 5, lines 45-50).

Since Manev et al. disclose identical synthesis conditions and formula for the positive electrode active material in the lithium battery as those of the applicants as discussed above, the properties cited in the instant claims 11-14 and 17-21 are inherent in the positive electrode active material of Manev et al.

The court has held that claiming of a property or characteristic which is inherently present in the prior art does not necessarily make the claim patentable. *In re Best*, 562 F.2d 1252, 1254, 195 USPQ 430, 433 (CCPA 1977). See also MPEP 2112 and 2112.01. When the Examiner has provided a sound basis for believing that the products of the applicant and the prior art are the same, the burden of proof is shifted to the applicant to prove that the product shown in

Art Unit: 1745

the prior art does not possess the characteristics of the claimed product. *In re Spada*, 911 F.2d 705, 709, 15 USPQ2d 1655, 1658 (Fed. Cir. 1990).

14. Claims 15, 16, 22, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zhong et al. (US Pat. No. 5,631,104, herein after '104) in view of Zhong et al. (US Pat. No. 5,700,597, hereinafter '597).

Zhong et al. '104 disclose all the limitations of claims 15, 16, 22, and 23 (see above) except that the lithium secondary battery has a capacity of 2 Ah or more and that the lithium secondary battery is used in an electric vehicle.

Zhong et al. '597 teach a lithium battery technology as a high energy density source for an electric vehicle (col. 1, lines 20-25).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the lithium secondary battery in the electric vehicle because a lithium secondary battery has high energy density, is light weight, and would not cause exhaust air polluting substances during the operation of the electric vehicle.

It would have also been obvious to one of ordinary skill in the art at the time the invention was made to produce a lithium secondary battery having a capacity of 2Ah or more in order to operate a high energy consuming electronic device such as an electric vehicle since the power requirements of electronic devices differ and it would have been obvious to manufacture lithium batteries with varying capacities for different applications. A person of ordinary skill in the art would be motivated to and would be knowledgeable about how to scale up the amount of active material necessary in a lithium secondary battery in order to provide enough electricity to operate an electric vehicle or any other electronic device.

15. Claims 15, 16, 22, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Manev et al. (US Pat. No. 5,961,949) in view of Zhong et al. (US Pat. No. 5,700,597, hereinafter '597).

Manev et al. disclose all the limitations of claims 15, 16, 22, and 23 (see above) except that the lithium secondary battery has a capacity of 2 Ah or more and that the lithium secondary battery is used in an electric vehicle.

Zhong et al. '597 teach a lithium battery as a high energy density source for an electric vehicle (col. 1, lines 20-25).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the lithium secondary battery in the electric vehicle because a lithium secondary battery has high energy density, is light weight, and would not cause exhaust air polluting substances during the operation of the electric vehicle.

It would have also been obvious to one of ordinary skill in the art at the time the invention was made to produce a lithium secondary battery having a capacity of 2Ah or more in order to operate a high energy consuming electronic device such as an electric vehicle since the power requirements of electronic devices differ and it would have been obvious to manufacture lithium batteries with varying capacities for different applications. A person of ordinary skill in the art would be motivated to and would be knowledgeable about how to scale up the amount of active material necessary in a lithium secondary battery in order to provide enough electricity to operate an electric vehicle or any other electronic device.

Art Unit: 1745

16. Claim 24 is rejected under 35 U.S.C. 103(a) as being unpatentable over Zhong et al. (US Pat. No. 5,631,104) in view of Idota et al. (US Pat. No. 5,686,203).

Zhong et al. ('104) disclose all the limitations of claim 24 except that the positive electrode further comprises acetylene black. It is noted that Zhong et al. ('104) disclose the positive electrode contains carbon black as a conductive agent (col. 7, lines 45-50).

Idota et al. teach a positive electrode comprising lithium manganese oxide (col. 8, lines 35-49) as the active material, that the positive electrode can comprise a conductivity imparting agent (col. 3, lines 1-7) and that the conductivity imparting agent may be carbon black or acetylene black and that the use of acetylene black is preferred because the resulting battery has high charge and discharge capacities (col. 13, lines 29-35).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use acetylene black instead of carbon black as the conductive agent in the positive electrode of Zhong et al. ('104) because the use of acetylene black results in a battery that has high charge and discharge capacities.

17. Claim 24 is rejected under 35 U.S.C. 103(a) as being unpatentable over Manev et al. (US Pat. No. 5,961,949) in view of Idota et al. (US Pat. No. 5,686,203).

Manev et al. disclose all the limitations of claim 24 except that the positive electrode further comprises acetylene black. It is noted that Manev et al. also disclose that the positive electrode contains a conductive agent such as carbon black (col. 5, lines 45-50).

Art Unit: 1745

Idota et al. teach a positive electrode comprising lithium manganese oxide (col. 8, lines 35-49) as the active material, that the positive electrode can comprising a conductivity imparting agent (col. 3, lines 1-7) and that the conductivity imparting agent may be carbon black or acetylene black and that the use of acetylene black is preferred because the resulting battery has high charge and discharge capacities (col. 13, lines 29-35).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use acetylene black instead of carbon black as the conductive agent in the positive electrode of Manev et al. because the use of acetylene black results in a battery that has high charge and discharge capacities.

Response to Arguments

18. Applicant's arguments filed 5 January 2004 have been fully considered but they are not persuasive.

With respect to applicant's arguments regarding the 35 USC 112, first paragraph rejections for claims 12 and 19, the Examiner remains unpersuaded for reasons given in paragraph 4 above. It is especially noted that the substitute specification at page 6 states that the particle diameters of the primary particles are obtained by analysis of the SEM image and the particle diameter measurement for individual particles are impossible. The specification also states (see page 7 of the substitute specification) that the amount of primary or secondary particles having particle diameters outside the specified ranges are at such a level not ordinarily detected in the methods of measurement for particle diameters mentioned in the specification. Hence, applicant has not determined experimentally in the specification that the primary particles

obtained consists essentially of primary particles that have at least side of each flat crystal face of a length of 1 micron or more. Applicant has only determined that the primary particles obtained comprise mostly of primary particles that are substantially octahedral in shape and have at least one side of each flat crystal face of a length of 1 micron or more from SEM image analysis.

Applicant's argument that the expression "consisting essentially of" renders the claim open only for the inclusion of unspecified ingredients which do not materially affect the basic and novel characteristics of the claimed invention is irrelevant because applicant did not originally disclose limiting the primary particles in the active material to be consisting essentially of primary particles that are substantially octahedral in shape and have at least side of each flat crystal face of a length of 1 micron or more. The term "comprise mostly" (found in the original disclosure) and the term "consisting essentially of" (as presently claimed in claims 12 and 19) are not equivalent terms.

With respect to applicant's arguments that the JP 08-217452 reference does not disclose substantially octahedral shape positive electrode active material, the Examiner disagrees with the applicant's analysis of the reference since the reference at paragraphs 76 and 107 specifically disclose that the primary particles are octahedral in shape which meets the limitation of substantially octahedral as claimed in the instant claims. **As seen in Fig. 4 of the JP 08-217452 reference, the shapes of the primary particles are nearly, if not, identical to the shapes of the primary particles shown in Fig. 1 of the present application.** The Examiner disagrees with applicant's assertion on page 3 of the response that the term "a regular octahedron needle-like" particle consists of a pair of regular octahedral-shaped end regions having an extension portion therebetween, rendering the particle needle like and that a far more descriptive of the

Art Unit: 1745

shape would be “dodecahedral” because it is the Examiner’s position that if the particle did not have 8 faces, it would not be called an octahedron in the reference. The applicant appears to redefine what the term “regular octahedron needlelike particle” means in the reference without supporting evidence.

Furthermore, the definition of a regular octahedron is an octahedron with eight equilateral triangles as faces (see Definition of Regular Octahedron [online]. Hyperdictionary, copyright 2000-2003 [retrieved on 2003-08-29]. Retrieved from the Internet : <URL:

<http://www.hyperdictionary.com/dictionary/regular+octahedron>>). Figures of a Six-Fold Regular Octahedron are also included in the previous Office Action which show eight equilateral triangular faces for the regular octahedron (Six-Fold Regular Octahedron [online]. Tomoko Fuse, 2002 [retrieved on 2003-08-29]. Retrieved from the Internet : <URL:

<http://gallery.origami.free.fr/Auteurs/Japan/fuse/gallery/Six-Fold%20Regular%20Octahedron.htm>>).

The shape of the regular octahedron is identical to the shape of the primary particles shown in Figure 1 of the present application and in Figure 4 of the reference.

The Examiner disagrees with applicant’s assertion on page 4 of the response that the JP ‘452 reference motivates persons of skill in the art to attempt to select process conditions and raw materials so as to obtain regular octahedron needle-like particles which are then used as a positive electrode active substance because the JP ‘452 reference is not a teaching reference but an anticipatory reference which specifically discloses regular octahedron needle-like particles.

Furthermore, page 6 of the substitute specification defines the term “substantially octahedral” broadly to be the following:

“ The primary particles seen in Fig. 1 also include particles of other shapes, that is, a) particles wherein the apex formed by intersection of four crystal faces of octahedron is not complete and is formed in the form of a plane or an edge, (b) particles wherein a different crystal face is formed at the edge formed by intersection of two crystal faces of octahedron, and (c) particles wherein one crystal face is jointly owned by two primary particles or wherein other primary particles grows from the surface of of one primary particle. These primary particles do not have a completely octahedral shape but can be regarded as a substantially octahedral shape. In the present invention, the “substantially octahedral shape” include these various shapes and further include those polyhedrons formed by partial chipping of the above shapes or by joint possession of crystal face in complicated manners between two primary particles.”

Based on this broad definition for “substantially octahedral” in the specification, the regular octahedron needle-like particles of the reference can clearly be considered “substantially octahedral”.

With respect to art rejections of record based on Zhong et al. (US Pat. No. 5,631,104), applicant asserts that the conditions and formulas in the methods of Zhong et al. ('104) are not identical to those of the present invention and would not produce primary particles having substantially octahedral shape and that the present specification at page 11, lines 5-10 do not inherently result in production of positive electrode active materials having the characteristics recited in the present claim. In response, the applicant has not disprove the Examiner's inherency

Art Unit: 1745

arguments of the Zhong et al. ('104) reference because the specification states at page 11, lines 5-10 that "[p]roduction of the positive electrode active material of the present invention is conducted by firing a raw material mixture consisting of given proportions of salts and/or oxides of various element(s) and an addition element(s)], in an oxidizing atmosphere at 700-900 C for 5 to 50 hours."

The Examiner provided detailed reasons in the previous final office action that are reiterated in the present office action as to why the methods of Zhong et al. ('104) are identical to applicant's disclosed method and would inherently yield the product having the claimed properties. Specifically, Zhong et al's ('104) formula in the abstract encompasses those claimed by applicant as stated in the previous office action and in the present office action above. It is applicant's burden to provide experimental proof that the methods of Zhong et al. ('104) do not yield primary particles having substantially octahedral shape. Applicant made similar assertions regarding the art rejections based on Manev (US 5,961,949) of record and Examiner remains unconvinced for similar reasons given for art rejections based on the Zhong et al ('104) reference. **Applicant has not experimentally shown that the methods of Zhong et al. and Manev do not produce primary particle having the claimed properties.** Since the methods including the raw materials, temperature, and time to produce the lithium manganese oxides of Zhong et al. and Manev are similar, if not identical to applicant's disclosure, the methods produce positive active materials that would inherently encompass primary particles having the claimed properties.

Finally, since applicant admits on page 4 of the amendment filed on 6/23/2003 that it is well known that the specific raw materials and firing conditions employed in making such

Art Unit: 1745

particles control the shape and size of the result particles, then the resulting primary particles obtained by either the methods of Zhong et al. ('104) or Manev et al. ('949) using the same raw materials and experimental conditions disclosed in the present specification would have the same shape and dimensional characteristics as presently claimed by applicant.

Conclusion

19. Any inquiry concerning this communication or earlier communications should be directed to examiner Susy Tsang-Foster, Ph.D. whose telephone number is (571) 272-1293. The examiner can normally be reached on Monday through Friday from 9:30 AM to 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Ryan can be reached at (571) 272-1292.

The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

st/ *Susy Tsang Foster*

Susy Tsang-Foster
Primary Examiner
Art Unit 1745